

NIGHT OF DESTRUCTION RULES!

Enduro Car Rules/General Rules, will be used for Enduro, Figure 8(Plus what's below), Skid Plate, Rollover, Burnout Comp. and Derby

Transponder Rental \$20 – For Enduro, Skid Plate, & Figure 8

These are ALL the rules for each event. Not all will be at each show. This is to help keep rules on the same form. Any questions, please ask!

Enduro: 100 Laps - Rules are listed on midvalespeedway.com under the rules tab – **Payout TBA**

Mini Van Mamas: Rules build like an Enduro Car – **Payout TBA**

Chain Race: 10 to 15 Laps – Rules on midvalespeedway.com under rules tab – **Payout TBA**

Reverse Race: Enduro Rules. **Payout TBA**

Figure 8 Rules: Lap 12 to 15. Must be 18 or older. 4 Point Cage or Steel Door Plate. Any FWD 4 cyl or 6 cyl. Must have a 4 point cage and door plate. The rest of the rules will be like an “Enduro Car.” Figure 8 will run for points-making their debut opening night @ Night of Destruction. On a regular night, heat races will be ran on ANY piece of asphalt – oval, old oval, small oval, road course & reverse for all tracks. The rest of car can follow Enduro Rules. **Payout TBA**

Skid Plate Race: FWD ONLY!!! Remove any glass side windows, headlights, etc. Leave front windshield. MUST BRING YOUR OWN SKIES that are welded to a rim that fits the bolt pattern for your rear wheels. Most use bumper reinforcements on the rim. You also MUST have a helmet and working seat belt!! It's recommended to have a fire suit or wear long sleeves and long pants. There will be NO HORSEPLAY before or after the race (IE Doughnuts...etc)!! It will not be tolerated!! When we are to run your part of program, you will bring your car and skies to the infield and put them on. DO NOT DRIVE ONTO THE TRACK FROM THE PITS WITH YOUR SKIES ON!! **You will need to bring a jack and lug wrench to put your skies on, once you are in the infield. Once the race is over, you return to the infield and take the skies off and put your rear tires back on, to exit the track. NO PASSENGERS. **Payout to top 3: TBA**

Rollover contest Rules: Bringing back one of the crowd favorites is the rollover contest. There will only be allowed one driver per car no passengers. Must have a roll cage in the car. NO QUESTIONS. We know there is potential for injury, so we have to take all precautions. Must have a full race suit and neck brace. All glass must be removed. and all lights must be removed. Front windshield must be removed and replaced with wire mesh or Lexan. All debris on the interior of the car must be removed including all seats and carpeting. Ramp will be a Left/Right Ramp. **Payout- TBA**

Long Jump: Car built like an enduro car. The car can be the same car for almost everything. **TBA**

FLAG POLE RACE Rules: 10 Laps Prep car as an Enduro Car Rules. Car must go around the flagpole on the first lap and every lap after that of the race or car will not be scored. Cars must come into the flagpole at a safe rate of speed so not to hit other drivers in the driver's door. Car numbers must be clear and big. Seat belts must be worn at all times. You must remain in your vehicle unless an official tells you otherwise. **Payout: TBA**

Stacker Cars: Rules our listed on another form under rules tab! **Payout TBA**

Trailer Race: - **Payoff - TBA**

Burnout Competition:

Drivers will be required to sign a waiver and will receive a wristband that must be worn on the wrist throughout the night.

On Track Procedures are as follows:

Must be full run burnout – Start in turn 4 to turn 1

NO STANDSTILL burnouts

Pay attention to LIGHTS AT ALL TIMES (Green = Go, Yellow = Times Up – Stop Burnout and Exit Slowly, Red = STOP IMMEDIATELY) We will stop in infield. Will have a number also in the window. **Payout: TBA**

Longest on 2 Wheels: You will hit the ramp, and well.... You'll try to go so far on two wheels.

Payout: TBA

Flip-Flop Race: 15 Laps Prep car as an Enduro Car Rules. Start at the finish line in driver, when reaching the line, put in reverse. You will do that a total of 15 times. In driver equals 1, then reverse 2, etc till you hit 15. **Payout: TBA**

Ramp Race: 15 Laps – We will have a ramp set-up on the front straightaway. Will be maybe a foot or less off track. You are to hit the ramp every lap. If don't, you're out.

Payout: TBA

Infield Tractor Tire Soccer: Be teams of 3. The goal is to hit the tractor tire into your scoring goal. The first one to 3 points, wins. If there are more than 6 teams, we will do elimination rounds. That would make one team with a buy, and to get that, it will go off the total time it took your team to score 3 points. **Payout: TBA**

Official Trailer Race Rules

1. Any van, SUV, or pickup truck is eligible. No 4-wheel drives, NO RACECARS, No cars.
2. Shoulder and lap belt required. Helmet, long sleeve shirts and pants and gloves are mandatory. Fire suit and gloves are recommended. All glass, except front windshield, lights and mirrors must be removed.
3. Overall trailer length: 14 ft. minimum and 20 ft. maximum. Trailer cannot be rigged to self destruct, leaving only frame to continue racing and must be able to race without falling apart. If trailer is rigged, that driver will be disqualified.
4. Travel trailer/pop-up camper, boat, or whatever on a trailer is eligible.
5. Boats must be strapped to trailer. Boats must be gutted. No motors, fuel tanks, or out drives allowed.
6. Travel trailer/campers must be completely cleaned out inside, removing everything that is not part of unit (i.e. pots, pans, clothes, silverware, trash household items, or anything that is not a permanent part of trailer as manufactured. Pop-ups must be raced in fully extended popped up position. All appliances and heating/cooling units must be removed. Glass must be removed.
7. Tongue must be attached to tow vehicle by hitch and ball, free pivoting. Safety chains and equalizer bars are not allowed.
8. Ballast or weight cannot be added.
9. Mascots, decorating vehicles, advertising nicknames, cartoon, etc. are encouraged. No suggestive language, symbols, or numbers allowed on vehicles. Anything on the vehicle in bad taste will mean disqualification.
10. Carnage is welcome but within discretion. Please consider the safety of the fans and other drivers.

OBJECT OF RACE

ALL COMPETITORS WILL HAVE A LITECEIVER IN THEIR VEHICLE. WHEN FLASHING RED, YOU WILL STOP. ANYONE THAT LOST A TIRE, POPPED A TIRE AND ON THE RIM, WILL BE ELIMINATED. Finish race with your trailer attached while trying to separate the trailers of your competitors from their vehicle. If you lose your trailer or tire, or sparks fly, you will be disqualified and you will be black flagged. If you hit another tow vehicle with your vehicle, you will be disqualified immediately. Length of race is at least 10 laps OR FREE FOR ALL. Will take a voting day of event. unless only one trailer/tow vehicle combo remains intact. In that event, they will be declared the winner.

Payout TBA

Chain Race Rules

- 1) All pulling cars must be V6 or V8 no 4-cylinder pull cars.
- 2) Both cars will have working brakes and back car must have a motor but not running.
- 3) Both cars must run good tires (no bald or blems).
- 4) Drivers doors must be welded, chained or bolted shut.
- 5) All cars must have seat belts with shoulder harnesses or 3 pt harness.
- 6) Cars will be chained together 4 feet apart. Cannot hook to bumper and no pipes on chains.
- 7) All drivers must wear helmets securely.

- 8) All cars are subject to inspection before they can race.
- 9) All glass must be removed from all cars except front windshield.
- 10) The rear car of the 2-Car Chain Race team must have the driveshaft and battery removed.
- 11) If the chain breaks, the cars are done and will no longer be scored.
- 12) The main pulling vehicle it must be a two-wheel drive car.
- 13) You must remain in your vehicle unless an official tells you otherwise.
- 14) Second cars engine needs to be off and remain off throughout the event – Your team will be disqualified if 2nd car is running at any time through the race.

Driver's Safety:

1. Mandatory- seat belts, long sleeves, jean/long pants, gloves, shoes & socks, helmet, goggles, and neck brace for the driver. No sunglasses. No nylon or dri-fit clothing allowed.
2. Recommended-racing seat, 5 point safety harness, window net, fire resistant driving suite, fire resistant gloves, shoes and socks along with a SA rated FULL FACED helmet, safety goggles or face shield and neck brace

Payout TBA

STACKER CARS RULES

General Safety Rules

1. A basic 4-point cage is highly recommended.
2. All side glass must be removed or rolled down 100%. Windshield or rear windows are optional.
3. A steel door plate (highly recommended) may be welded or bolted over the driver's side door.
4. All doors must be welded or chained shut.
5. Having a horizontal crush bar from side to side just behind the driver's seat is recommended.
6. Having a vertical crush/rollover bar behind the driver's seat is recommended.
7. If a battery is in the back seat, it must be securely covered and tightly strapped down.

General Construction Guidelines of Bottom Car

1. The bottom car is responsible for gas and braking.
2. Cars must be stock.
3. Front wheel drive compact cars and/or Mid-Size FWD cars
4. NO RACE CARS WILL BE ALLOWED FOR THE BOTTOM CAR.
5. Stock suspension, stock engine and stock transmission. The theme here is STOCK.
6. The bottom car will have no steering components whatsoever.
7. Windshield or safety bars must remain in the vehicles.
8. 7" wide maximum stock or safety wheels. No more than a 3.5" backset on any wheel.

Page 3

9. Stock DOT radial tires (i.e. any 55, 60, 65, 70, 75 or 80 series radial tire 165-215). No trick, racing or exotic tires. No Z-rated tires. No wheel spacers of any kind. lift or bobcat tires.

General Construction Guidelines for the Top Car

1. The top car will do all steering.
 2. The complete body shell from bumper to bumper must remain intact, including the front and rear firewalls.
 3. All suspension, engine, K-frame, wheels and tires may be removed.
 4. The complete body including the front and rear tail panels, bumpers and the full body between the bumpers is required so the car body up top resembles that of a full car.
- The number of laps run will depend on car count.
No 2-way radios or other communication devices are allowed.

Payout TBA

2025 Compact and Full-size Street Stock Derby Rules

1. 2. Any 1980 and newer cars. No hearses or limousines permitted. Cars must be 100% stock! No cross breeding. The entire driveline must be the same make as the car (Chevy to Chevy, Ford to Ford, etc.). Must appear to be factory engine to car with stock exhaust with exhaust cut off.
3. Engine must be mounted with stock mounts in stock position. No welding of mounts, bolted only. No homemade cross members. Cross members must be stock and bolted, not welded.
4. Relocate the fuel tank to rear floor of car. Must use a fuel cell or boat tank. No stock fuel tanks permitted inside of car. It must be securely fastened to the floor with bolts. Ratchet straps are not approved to mount fuel cells.
5. Windshield may be left in car OR you can remove it. The following must be removed windows, headlights, tail lights, and all chrome and mirrors. Interior must be swept clean of debris and glass. You must remove all glass, plastic, and fiberglass on outside of car. This includes plastic bumper covers.
6. You may take out plastic fender wells under the hood. You may move the battery to the floor of the car and you may lengthen cables to reach battery on floor not the wiring harness. This will be strictly enforced.
7. If the car has a wiring harness in front of core support, you may move it behind core support. You cannot remove body mount bolt to do this.
8. 9. All body bolts must be factory stock. No altering permitted. Doors must be chained or wired. No more than 8 places per door. The wire for the bottom of doors may go around the frame. You may use 5/16" chain or 2 strands #9 wire per hole. Paint front doors in contrasting paint. Example – if the car is black, paint doors white.
10. Trunks must be chained or wired no more than 8 places. 2 of these may

go around bumper and/or frame. TRUNKS MUST BE OPEN DURING INSPECTION! Deck lid and/or tailgate must be in factory position on car or be completely removed from car. You cannot remove speaker deck from car. No welding or adding metal. No tucking, wedging, pre-bending, smashing, folding or anything else you can think of. No welding washers to body for wire.

11. Hoods may be wired or chained in 8 spots. You may use 5/16" chain or 2 strands of #9 wire per hole. It must be sheet metal to sheet metal only. No welding washers for holes. Must be 12" hole in hood in case of fire. Remove hood latch! HOOD MUST BE OPEN FOR INSPECTION!

12. Any tire and rim permitted, doubles permitted, no foam filled tires or bead locks permitted.

13. NO CREASING OF THE BODY IS PERMITTED!

14. You can have a safety bars behind driver's seat and near dash if you choose. These may be no bigger than 4x4" and mounting plate can be no bigger than 6x6" and mounted no farther than 6" behind driver's seat. You may also reinforce the driver's door as you see fit for driver safety. This may be done from door seam to door seam only.

15. Stock type springs and shocks. No solid suspension. Screw in type spring risers ARE OK! NO wire, chains, or and weld on rear ends or rear spring pockets. Cars must bounce and cars must be stock!

16. Only 1980 and newer bumpers are permitted on car and they must be bolted on in factory location and manner. You may collapse the shocks and weld all the way around the shock and the plate to bumper. Dec bumpers and ADEPT bumpers are permitted. Ends must remain open and no metal may be added to the bumper. If car has no shocks, bumper may be welded directly to the frame with no metal added. On the back side of bumper where shocks mount, you may use a ¼" x6" x6" piece of flat metal to create a flat mounting surface.

17. You may weld spider gears in rear end to make it posi. You must use factory rear end housing for the car you are running.

18. Read all rules carefully and follow them! It will be a cheap and easy build. Any questions – call! There will be no stretching or bending of any rules.